

Author Index (Vol. 83)

- Abiko, T., see Nishida, K. (83) 119
Arai, M., see Shiomi, M. (83) 69
Araki, S.-i., Kawahara, Y., Fukuzaki, H. and Takai, Y.
 Serotonin plays a major role in serum-induced phospholipase C-mediated hydrolysis of phosphoinositides and DNA synthesis in vascular smooth muscle cells (83) 29
Aro, A., Teirilä, J. and Gref, C.-G.
 Dose-dependent effect on serum cholesterol and apoprotein B concentrations by consumption of boiled, non-filtered coffee (83) 257
Asai, K., see Naito, M. (83) 9

Bak, A.A.A., Van Vliet, H.H.D.M. and Grobbee, D.E.
 Coffee, caffeine and hemostasis: results from two randomized studies (83) 249
Ballantine, J.A., see Carpenter, K.L.H. (83) 217
Becker, P., see Sewdarsen, M. (83) 111
Beilin, L.J., see Croft, K.D. (83) 101
Berger, I., see Singer, P. (83) 167
Blankenhorn, D.H., see Chin, H.P. (83) 1

Carlson, L.A., see Johansson, J. (83) 207
Carpenter, K.L.H., Ballantine, J.A., Fussell, B., Enright, J.H. and Mitchinson, M.J.
 Oxidation of cholesteryl linoleate by human monocyte-macrophages in vitro (83) 217
Caslake, M.J., see Griffin, B.A. (83) 59
Chin, H.P., Liu, C.R., Liu, C.H. and Blankenhorn, D.H.
 Very early aortic responses during atherosclerosis induction in rabbits: measurement by duplex ultrasound. I. Non-invasive study of aortic hyperresponsiveness to serotonin (83) 1
Croft, K.D., Beilin, L.J., Vandongen, R., Rouse, I. and Masarei, J.
 Leukocyte and platelet function and eicosanoid production in subjects with hypercholesterolaemia (83) 101

Dachet, C., see Lontie, J.-F. (83) 187
De Knijff, P., Stalenhoef, A.F.H., Mol, M.J.T.M., Gevers Leuven, J.A., Smit, J., Erkelens, D.W., Schouten, J., Frants, R.R. and Havekes, L.M.
 Influence of apo E polymorphism on the response to simvastatin treatment in patients with heterozygous familial hypercholesterolemia (83) 89
Desai, R.K., see Sewdarsen, M. (83) 111
Donner, M., see Muller, S. (83) 231
Dregelid, E., see Svendsen, E. (83) 239

Drouin, P., see Muller, S. (83) 231
Dubois, D.Y., see Lontie, J.-F. (83) 187

Ehringer, H., see Koppensteiner, R. (83) 53
Eide, G.E., see Svendsen, E. (83) 239
Enright, J.H., see Carpenter, K.L.H. (83) 217
Erkelens, D.W., see De Knijff, P. (83) 89

Ferezou, J., see Lontie, J.-F. (83) 187
Frants, R.R., see De Knijff, P. (83) 89
Frants, R.R., see Top, B. (83) 127
Fukami, M., see Shiomi, M. (83) 69
Fukushige, J., see Shiomi, M. (83) 69
Fukuzaki, H., see Araki, S.-i. (83) 29
Funaki, C., see Naito, M. (83) 9
Fussell, B., see Carpenter, K.L.H. (83) 217

Gaffney, D., see Mendis, S. (83) 21
Gevers Leuven, J.A., see De Knijff, P. (83) 89
Gevers Leuven, J.A., see Top, B. (83) 127
Gillies, P.J., Robinson, C.S. and Rathgeb, K.A.
 Regulation of ACAT activity by a cholesterol substrate pool during the progression and regression phases of atherosclerosis: implications for drug discovery (83) 177
Gref, C.-G., see Aro, A. (83) 257
Griffin, B.A., Caslake, M.J., Yip, B., Tait, G.W., Packard, C.J. and Shepherd, J.
 Rapid isolation of low density lipoprotein (LDL) subfractions from plasma by density gradient ultracentrifugation (83) 59
Grobbee, D.E., see Bak, A.A.A. (83) 249

Haba, T., see Takegoshi, T. (83) 99
Hamada, M., Kusuyama, Y., Nishio, I., Ura, M., Takeda, J., Hano, T. and Masuyama, Y.
 Effect of centrifugal force and catecholamines on glycosaminoglycans synthesis of vascular smooth muscle cells in culture (83) 147
Hano, T., see Hamada, M. (83) 147
Hara, H. and Howard, B.V.
 Characterization of LDL binding in TR 715-19 cells. A high capacity, stable line for evaluating the binding of LDL to the human LDL receptor (83) 155
Havekes, L.M., see De Knijff, P. (83) 89
Havekes, L.M., see Top, B. (83) 127
Hayashi, T., see Naito, M. (83) 9

- Hiebert, L.M. and Liu, J.-m.
Heparin protects cultured arterial endothelial cells from damage by toxic oxygen metabolites (83) 47
- Hirai, J.-i., see Takegoshi, T. (83) 99
- Hixson, J.E., see Thiesen, S.L. (83) 137
- Howard, B.V., see Hara, H. (83) 155
- Hughes, L.O., Wojciechowski, A.P. and Raftery, E.B.
Relationship between plasma cholesterol and coronary artery disease in Asians (83) 15
- Ishihara, M., see Nishida, K. (83) 119
- Ito, T., see Shiomi, M. (83) 69
- James, R.W. and Pometta, D.
Immunofractionation of high density lipoprotein subclasses 2 and 3. Similarities and differences of fractions isolated from male and female populations (83) 35
- Jialal, I., see Sewdarsen, M. (83) 111
- Johansson, J. and Carlson, L.A.
The effects of nicotinic acid treatment on high density lipoprotein particle size subclass levels in hyperlipidaemic subjects (83) 207
- Kawahara, Y., see Araki, S.-i. (83) 29
- Keller, C., see Rauh, G. (83) 81
- Kitoh, C., see Takegoshi, T. (83) 99
- Koeleman, B.P.C., see Top, B. (83) 127
- Koppensteiner, R., Minar, E. and Ehringer, H.
Effect of lovastatin on hemorheology in type II hyperlipoproteinemia (83) 53
- Kuroda, M., see Shiomi, M. (83) 69
- Kusuyama, Y., see Hamada, M. (83) 147
- Kuzuya, F., see Naito, M. (83) 9
- Kuzuya, M., see Naito, M. (83) 9
- Lee, R.M.K.W.
Rapid development of atherosclerotic lesions in the rabbit carotid artery induced by perivascular manipulation (83) 263
- Liu, C.H., see Chin, H.P. (83) 1
- Liu, C.R., see Chin, H.P. (83) 1
- Liu, J.-m., see Hiebert, L.M. (83) 47
- Lontie, J.-F., Malmendier, C.L., Serougne, C., Dubois, D.Y., Dacht, C., Ferezou, J. and Mathé, D.
Plasma lipids, lipoproteins and apolipoproteins in two kindreds of hypobetalipoproteinemia (83) 187
- Mabuchi, H., see Takegoshi, T. (83) 99
- Malmendier, C.L., see Lontie, J.-F. (83) 187
- Masarei, J., see Croft, K.D. (83) 101
- Masuyama, Y., see Hamada, M. (83) 147
- Mathé, D., see Lontie, J.-F. (83) 187
- McCully, K.S., Olszewski, A.J. and Veziridis, M.P.
Homocysteine and lipid metabolism in atherogenesis: effect of the homocysteine thiolactonyl derivatives, thioretinaco and thioretinamide (83) 197
- McManus, B.M., see Thiesen, S.L. (83) 137
- Mendis, S., Shepherd, J., Packard, C.J. and Gaffney, D.
Genetic variation in the cholesteryl ester transfer protein and apolipoprotein A-I genes and its relation to coronary heart disease in a Sri Lankan population (83) 21
- Minar, E., see Koppensteiner, R. (83) 53
- Mitchinson, M.J., see Carpenter, K.L.H. (83) 217
- Mol, M.J.T.M., see De Knijff, P. (83) 89
- Müller, B., see Rauh, G. (83) 81
- Muller, S., Ziegler, O., Donner, M., Drouin, P. and Stoltz, J.F.
Rheological properties and membrane fluidity of red blood cells and platelets in primary hyperlipoproteinemia (83) 231
- Nagengast, D.J., see Thiesen, S.L. (83) 137
- Naito, M., Hayashi, T., Kuzuya, M., Funaki, C., Asai, K. and Kuzuya, F.
Effects of fibrinogen and fibrin on the migration of vascular smooth muscle cells in vitro (83) 9
- Nishida, K., Abiko, T., Ishihara, M. and Tomikawa, M.
Arterial injury-induced smooth muscle cell proliferation in rats is accompanied by increase in polyamine synthesis and level (83) 119
- Nishio, I., see Hamada, M. (83) 147
- Olszewski, A.J., see McCully, K.S. (83) 197
- Packard, C.J., see Griffin, B.A. (83) 59
- Packard, C.J., see Mendis, S. (83) 21
- Pometta, D., see James, R.W. (83) 35
- Raftery, E.B., see Hughes, L.O. (83) 15
- Rathgeb, K.A., see Gillies, P.J. (83) 177
- Rauh, G., Schuster, H., Müller, B., Schewe, S., Keller, C., Wolfram, G. and Zöllner, N.
Genetic evidence from 7 families that the apolipoprotein B gene is not involved in familial combined hyperlipidemia (83) 81
- Robinson, C.S., see Gillies, P.J. (83) 177
- Rouse, I., see Croft, K.D. (83) 101
- Saga, T., see Takegoshi, T. (83) 99
- Schewe, S., see Rauh, G. (83) 81
- Schouten, J., see De Knijff, P. (83) 89
- Schuster, H., see Rauh, G. (83) 81
- Serougne, C., see Lontie, J.-F. (83) 187
- Sewdarsen, M., Vythilingum, S., Jialal, I., Desai, R.K. and Becker, P.
Abnormalities in sex hormones are a risk factor for premature manifestation of coronary artery disease in South African Indian men (83) 111
- Shepherd, J., see Griffin, B.A. (83) 59
- Shepherd, J., see Mendis, S. (83) 21
- Shiomi, M., Ito, T., Watanabe, Y., Tsujita, Y., Kuroda, M., Arai, M., Fukami, M., Fukushima, J. and Tamura, A.
Suppression of established atherosclerosis and xanthomas in mature WHHL rabbits by keeping their serum cholesterol levels extremely low. Effect of pravastatin sodium in combination with cholestyramine (83) 69

- Singer, P., Wirth, M. and Berger, I.
A possible contribution of decrease in free fatty acids to low serum triglyceride levels after diets supplemented with $n-6$ and $n-3$ polyunsaturated fatty acids (83) 167
- Smit, J., see De Knijff, P. (83) 89
- Stalenhoef, A.F.H., see De Knijff, P. (83) 89
- Stoltz, J.F., see Muller, S. (83) 231
- Svendsen, E., Dregelid, E. and Eide, G.E.
Internal elastic membrane in the internal mammary and left anterior descending coronary arteries and its relationship to intimal thickening (83) 239
- Tait, G.W., see Griffin, B.A. (83) 59
- Takai, Y., see Araki, S.-i. (83) 29
- Takeda, J., see Hamada, M. (83) 147
- Takegoshi, T., Haba, T., Hirai, J.-i., Kitoh, C., Saga, T., Yamazaki, Y. and Mabuchi, H.
Alterations of lipoprotein(a) in patients with diabetic nephropathy (83) 99
- Tamura, A., see Shiomi, M. (83) 69
- Teirilä, J., see Aro, A. (83) 257
- Thiesen, S.L., Hixson, J.E., Nagengast, D.J., Wilson, J.E. and McManus, B.M.
Lipid phenotypes, apolipoprotein genotypes and cardiovascular risk in nonagenarians (83) 137
- Tomikawa, M., see Nishida, K. (83) 119
- Top, B., Koeleman, B.P.C., Gevers Leuven, J.A., Havekes, L.M. and Frants, R.R.
Rearrangements in the LDL receptor gene in Dutch familial hypercholesterolemic patients and the presence of a common 4 kb deletion (83) 127
- Tsujita, Y., see Shiomi, M. (83) 69
- Ura, M., see Hamada, M. (83) 147
- Vandongen, R., see Croft, K.D. (83) 101
- Van Vliet, H.H.D.M., see Bak, A.A.A. (83) 249
- Vezeridis, M.P., see McCully, K.S. (83) 197
- Vythilingum, S., see Sewdarsen, M. (83) 111
- Watanabe, Y., see Shiomi, M. (83) 69
- Wilson, J.E., see Thiesen, S.L. (83) 137
- Wirth, M., see Singer, P. (83) 167
- Wojciechowski, A.P., see Hughes, L.O. (83) 15
- Wolfram, G., see Rauh, G. (83) 81
- Yamazaki, Y., see Takegoshi, T. (83) 99
- Yip, B., see Griffin, B.A. (83) 59
- Ziegler, O., see Muller, S. (83) 231
- Zöllner, N., see Rauh, G. (83) 81

Subject Index (Vol. 83)

- Acyl-CoA:cholesterol acyltransferase, (83) 177
Aorta, (83) 1
Apolipoprotein A-I, (83) 35
Apolipoprotein A-II, (83) 35
Apolipoprotein B, (83) 81
Apolipoprotein E, (83) 89
Apolipoproteins, (83) 137; (83) 187
Arachidonic acid, (83) 167
Arterial injury, (83) 119
Artificial lipoprotein, (83) 217
Asians, (83) 15
Atherogenesis, (83) 101; (83) 197
Atherosclerosis, (83) 9; (83) 29; (83) 35; (83) 69; (83) 147; (83) 217
Blood pressure, (83) 167
Blood viscosity, (83) 231
Body mass index, (83) 137
Caffeine, (83) 249
Cardiovascular system, (83) 249
Catecholamines, (83) 147
Cell migration, (83) 9
Cells cultured, (83) 147
Chemotaxis, (83) 9
Cholest-5-en-3 β ,7 β -diol, (83) 217
Cholesterol, (83) 15; (83) 89
Cholesterol substrate pool, (83) 177
Cholesteryl linoleate, (83) 217
Cholestyramine, (83) 69
Coffee, (83) 249; (83) 257
Combination drug treatment, (83) 69
Coronary artery, (83) 239
Coronary artery disease, (83) 15; (83) 59
Coronary atherosclerosis, (83) 21
Density gradient ultracentrifugation, (83) 59; (83) 187
Diet, (83) 137
Direct sequencing, (83) 127
Eicosanoid, (83) 101
Eicosapentaenoic acid, (83) 167
Endothelial injury, (83) 47
Erythrocyte aggregation, (83) 231
Erythrocyte membrane, (83) 231
Experimental atherosclerosis, (83) 1
Familial combined hyperlipidemia, (83) 81
Familial hypercholesterolemia, (83) 89
Fibrin, (83) 9
Fibrinogen, (83) 9; (83) 53
Fluorescence polarization, (83) 231
Founder effect, (83) 127
FPLC gel filtration, (83) 187
Free fatty acids, (83) 167
Genetic polymorphism, (83) 89
Glycosaminoglycans, (83) 147
Gradient gel electrophoresis, (83) 59; (83) 207
Growth factor, (83) 29
Haptotaxis, (83) 9
HDL, (83) 21
HDL subclasses, (83) 35
Hemostasis, (83) 249
Heparin, (83) 47
High density lipoproteins, (83) 35; (83) 207
Homocysteine, (83) 197
Hypercholesterolaemia, (83) 101
Hyperlipidaemia, (83) 207
Hyperlipoproteinemia, (83) 231
Hyperlipoproteinemia, type II, (83) 53
Hypertension, (83) 147
Hypobetalipoproteinemia, (83) 187
Hypolipidemic effect, (83) 69
Immunoaffinity chromatography, (83) 187
Immunoblotting, (83) 187
Immunofractionation, (83) 35
Internal elastic membrane, (83) 239
Internal mammary artery, (83) 239
Intimal thickening, (83) 239
Leukocyte, (83) 101
Linoleic acid, (83) 167
Lipid fluidity, (83) 231
Lipid oxidation, (83) 217
Lipids, (83) 137
Lipoproteins, (83) 137; (83) 187
Longevity, (83) 137
Low density lipoprotein subfractions, (83) 59
Macrophages, (83) 217
Marine oil, (83) 1
Monocytes, (83) 217
Morphometry, (83) 239
Myocardial infarction, (83) 111

- Nicotinic acid, (83) 207
Nonagenarian, (83) 137
Ornithine decarboxylase, (83) 119

Oxygen metabolites, (83) 47

Pathogenesis, (83) 9
Plasma viscosity, (83) 53; (83) 231
Platelet, (83) 101; (83) 231
Platelet activating factor, (83) 101
Polyamines, (83) 119
Polymerase chain reaction, (83) 127
Pravastatin sodium, (83) 69
Progression, (83) 177

Randomized study, (83) 249
Red cell aggregation, (83) 53
Regression, (83) 177
Restriction fragment length polymorphism, (83) 21; (83) 137
RFLP, (83) 81
Risk factors, (83) 111; (83) 137
RNA splicing, (83) 127

Serotonin, (83) 1; (83) 29
Serum apoproteins, (83) 257
Serum cholesterol, (83) 257

Serum lipids, (83) 197
Serum lipoproteins, (83) 257
Serum triglycerides, (83) 167
Sex hormones, (83) 111
Simvastatin, (83) 89
Smooth muscle cell proliferation, (83) 119
Smooth muscle cells, (83) 9
Southern analysis, (83) 127
Spontaneously hypertensive rats, (83) 147

Thioretinaco, (83) 197
Thioretinamide, (83) 197
Treatment, (83) 207
Triceps skinfold, (83) 137
Two-dimensional immunoelectrophoresis, (83) 187

Ultrasound, (83) 1

Vascular smooth muscle cell proliferation, (83) 29
Vascular smooth muscle cells, (83) 147
Vessel wall stress, (83) 239

WHHL rabbit, (83) 69

Xanthoma, (83) 69

